



Safety Data Sheet dated 12/9/2017, version 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: SECODET POLVERE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:
FOR PROFESSIONAL USE

1.3. Details of the supplier of the safety data sheet

Company:
Esseco S.r.l. Via San Cassiano 99
28069 - Trebate (NO)
Italy

Enartis - Phone n. +39-0321-790300

Competent person responsible for the safety data sheet: vino@enartis.it

1.4. Emergency telephone number

Enartis - Phone n. +39-0321-790300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

⚠ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

Special Provisions:

None

Contains

Sodium Hydroxide; Caustic Soda

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:
 No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 90%	Sodium Hydroxide; Caustic Soda	Index number: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 REACH No.: 01-2119457892-27-XXXX	⚠ 3.2/1A Skin Corr. 1A H314
>= 3% - < 5%	Sodium Carbonate	Index number: 011-005-00-2 CAS: 497-19-8 EC: 207-838-8 REACH No.: 01-2119485498-19-XXXX	⚠ 3.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO₂).
 - Extinguishing media which must not be used for safety reasons:
 - None in particular.
 - 5.2. Special hazards arising from the substance or mixture
 - Do not inhale explosion and combustion gases.
 - 5.3. Advice for firefighters
 - Use suitable breathing apparatus .
 - Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 - Move undamaged containers from immediate hazard area if it can be done safely.
-

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
 - 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
 - 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
 - 6.4. Reference to other sections
 - See also section 8 and 13
-

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.
 - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 - Contaminated clothing should be changed before entering eating areas.
 - Do not eat or drink while working.
 - See also section 8 for recommended protective equipment.
 - 7.2. Conditions for safe storage, including any incompatibilities
 - Keep away from food, drink and feed.
 - Incompatible materials:
 - None in particular.
 - Store the product in its original containers; do not mix with other products. Store away from incompatible materials. See also paragraph 10.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
 - 7.3. Specific end use(s)
 - None in particular
-

SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters
 - Sodium Hydroxide; Caustic Soda - CAS: 1310-73-2
 - OSHA - TWA: 2 mg/m³
 - ACGIH - STEL: Ceiling 2 mg/m³ - Notes: URT, eye, and skin irr

DNEL Exposure Limit Values

Sodium Hydroxide; Caustic Soda - CAS: 1310-73-2

Worker Professional: 1 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 1 ppm - Exposure: Human Inhalation - Frequency: Long Term, local effects

Sodium Carbonate - CAS: 497-19-8

Worker Professional: 10 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 10 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Eye glasses with side protection.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection.

Suitable material:

UNI EN 420/UNI EN 374

Respiratory protection:

Particle filter device (DIN EN 143).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour:	Solid
Odour:	None
Odour threshold:	N.A.
pH:	>13.0 (sol. 10 g/L)
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	> 100°C °C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	N.A.
Solubility in water:	± 200 g/L
Solubility in oil:	0%
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.

9.2. Other information

Miscibility:	N.A.
Fat Solubility:	N.A.

Conductivity: N.A.
Substance Groups relevant properties N.A.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
 - The contact with metals flammable hydrogen gas.
 - Contact with strong acids may cause violent exothermic reactions.
 - Potential hazard for esothermal reactions
 - 10.2. Chemical stability
 - Stable under normal conditions
 - 10.3. Possibility of hazardous reactions
 - It can generate flammable gases in contact with elemental metals
 - 10.4. Conditions to avoid
 - Stable under normal conditions.
 - No ventilation, heating, contact with metals, acids, combustible and reducing materials.
 - Open containers.
 - 10.5. Incompatible materials
 - Do not mix with acids
 - Light metals, alkaline metals, organic and copper materials. Reacts vigorously with: halogen, nitrodeated, azides. Aluminum, tin and zinc contact results in the release of gaseous hydrogen.
 - Light metals
 - 10.6. Hazardous decomposition products
 - Hydrogen
-

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
 - Toxicological information of the product:
SECODET POLVERE
 - a) acute toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
 - b) skin corrosion/irritation
 - The product is classified: Skin Corr. 1A H314
 - c) serious eye damage/irritation
 - The product is classified: Eye Dam. 1 H318
 - d) respiratory or skin sensitisation
 - Not classified
 - Based on available data, the classification criteria are not met
 - e) germ cell mutagenicity
 - Not classified
 - Based on available data, the classification criteria are not met
 - f) carcinogenicity
 - Not classified
 - Based on available data, the classification criteria are not met
 - g) reproductive toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
 - h) STOT-single exposure
 - Not classified
 - Based on available data, the classification criteria are not met
 - i) STOT-repeated exposure
 - Not classified
 - Based on available data, the classification criteria are not met
 - j) aspiration hazard
 - Not classified
 - Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Sodium Hydroxide; Caustic Soda - CAS: 1310-73-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit = 325 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 1350 mg/kg

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive

Test: Eye Corrosive - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Respiratory Sensitization - Route: Inhalation Negative

Test: Skin Sensitization - Route: Skin Negative

Sodium Carbonate - CAS: 497-19-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2800 mg/kg

Test: LC50 - Route: Inhalation - Species: Mouse = 1.2 mg/l - Duration: 2h

Test: LC50 - Route: Inhalation - Species: Rat = 2.3 mg/l - Duration: 2h

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

b) skin corrosion/irritation:

Test: Eye Irritant - Species: Rabbit Positive

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

SECODET POLVERE

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Sodium Hydroxide; Caustic Soda - CAS: 1310-73-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 189 mg/l - Duration h: 96

Endpoint: EC50 - Species: Bacteria = 22 mg/l - Notes: 15 min (Photobacterium phosphoreum) (EU, 2007; OECD, 2002)

b) Aquatic chronic toxicity:

Endpoint: EC50 - Species: Daphnia = 40.4 mg/l - Duration h: 48

Sodium Carbonate - CAS: 497-19-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 300 mg/l - Duration h: 96

Endpoint: EC50 - Species: Crustaceans = 200-227 mg/l - Duration h: 48

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
ADR-UN Number: 1823
IATA-UN Number: 1823
IMDG-UN Number: 1823
- 14.2. UN proper shipping name
ADR-Shipping Name: 1823-II
IATA-Shipping Name: 1823-II
IMDG-Shipping Name: 1823-II
- 14.3. Transport hazard class(es)
ADR-Class: 8
ADR - Hazard identification number: 80
IATA-Class: 8
IMDG-Class: 8
- 14.4. Packing group
ADR-Packing Group: II
IATA-Packing group: II
IMDG-Packing group: II
- 14.5. Environmental hazards
- 14.6. Special precautions for user
ADR-Transport category (Tunnel restriction code): E
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
Restrictions related to the product:
No restriction.
Restrictions related to the substances contained:
No restriction.
- Where applicable, refer to the following regulatory provisions :
Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
- Dir. 2004/42/EC (VOC directive)
- Reg. (CE) N. 648/2004 e s.m.i.
Contiene:
<5% non-ionic surfactants
<5% phosphate
Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
 SECTION 3: Composition/information on ingredients
 SECTION 4: First aid measures
 SECTION 7: Handling and storage
 SECTION 8: Exposure controls/personal protection
 SECTION 9: Physical and chemical properties
 SECTION 10: Stability and reactivity
 SECTION 11: Toxicological information
 SECTION 12: Ecological information
 SECTION 14: Transport information
 SECTION 15: Regulatory information
 SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
 SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not Available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.