

## Safety Data Sheet

### Trefosolfina

Safety Data Sheet dated 22/12/2022 version 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: Trefosolfina

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: FOR PROFESSIONAL USE

Uses advised against: N.A.

### 1.3. Details of the supplier of the safety data sheet

Company:

ESSECO S.r.l. Via San Cassiano 99

28069 - Trecate (NO)

Italy

Enartis - Phone n. +39-0321-790300

Competent person responsible for the safety data sheet: vino@enartis.it

### 1.4. Emergency telephone number

Enartis - Phone n. +39-0321-790300

Malta: 112

## SECTION 2: Hazards identification



### 2.1. Classification of the substance or mixture

#### Regulation (EC) n. 1272/2008 (CLP)

Eye Dam. 1 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

#### Regulation (EC) No 1272/2008 (CLP):

#### Pictograms and Signal Words



Danger

#### Hazard statements

H318 Causes serious eye damage.

#### Precautionary statements

P280 Wear eye/face protection: wear eye glasses with side protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

#### Special Provisions:

EUH031 Contact with acids liberates toxic gas.

#### Contains

Potassium Metabisulphite

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other Hazards:

Contact with acids liberates toxic gas.

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Mixture identification: Trefosolfina

#### Hazardous components within the meaning of the CLP regulation and related classification:

| Qty           | Name                     | Ident. Numb.                   | Classification           | Registration Number   |
|---------------|--------------------------|--------------------------------|--------------------------|-----------------------|
| ≥ 70 - < 80 % | Potassium Metabisulphite | CAS:16731-55-8<br>EC:240-795-3 | Eye Dam. 1, H318, EUH031 | 01-2119537422-45-XXXX |
| ≥ 25 - < 30 % | BENTONITE                | CAS:1302-78-9<br>EC:215-108-5  |                          |                       |

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash immediately with water.

Wash thoroughly the body (shower or bath).

In case of eyes contact:

Irrigate eyes with copious amounts of water for at least 10-15 min, holding eyelids apart to ensure thorough rinsing

Protect uninjured eye.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

In case of Ingestion:

Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

### 4.2. Most important symptoms and effects, both acute and delayed

Eye damages

### 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

### 5.3. Advice for firefighters

Wear suitable protective clothing (helmet, protective clothings, goggles, fire resistant gloves, boots) and protect respiratory organs (self contained breathing apparatus).

Use suitable breathing apparatus .

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

### 6.2. Environmental precautions

If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

### 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand  
 Dispose of the collected material in accordance with the current regulations.  
 Retain contaminated washing water and dispose it.

**6.4. Reference to other sections**

See also section 8 and 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Don't use empty container before they have been cleaned.  
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.  
 Do not eat or drink while working.  
 See also section 8 for recommended protective equipment.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from food, drink and feed.

Incompatible materials:

Keep away from acids.

Instructions as regards storage premises:

Adequately ventilated premises.

**7.3. Specific end use(s)**

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Community Occupational Exposure Limits (OEL)**

|                                             | OEL Type | Long Term mg/m3 | Long Term ppm | Short Term mg/m3 | Short Term ppm | Notes                 |
|---------------------------------------------|----------|-----------------|---------------|------------------|----------------|-----------------------|
| Potassium Metabisulphite<br>CAS: 16731-55-8 | ACGIH    |                 |               |                  | 0.25           | (SO2)                 |
|                                             | EU       |                 | 0.5           |                  | 1              | (SO2)                 |
| BENTONITE<br>CAS: 1302-78-9                 | ACGIH    | 3.000           |               |                  |                | (Inhalable fraction)  |
|                                             | ACGIH    | 10.000          |               |                  |                | (respirable fraction) |

**Predicted No Effect Concentration (PNEC) values**

|                                             | PNEC Limit | Exposure Route                      | Exposure Frequency | Remark |
|---------------------------------------------|------------|-------------------------------------|--------------------|--------|
| Potassium Metabisulphite<br>CAS: 16731-55-8 | 1.17 mg/l  | Fresh Water                         |                    |        |
|                                             | 0.12 mg/l  | Marine water                        |                    |        |
|                                             | 88.1 mg/l  | Microorganisms in sewage treatments |                    |        |

**Derived No Effect Level (DNEL) values**

|                                             | Worker Industry | Worker Professional | Consumer | Exposure Route   | Exposure Frequency          | Remark |
|---------------------------------------------|-----------------|---------------------|----------|------------------|-----------------------------|--------|
| Potassium Metabisulphite<br>CAS: 16731-55-8 | 263 mg/m3       |                     |          | Human Inhalation | Long Term, systemic effects |        |
|                                             |                 |                     | 78 mg/m3 | Human Inhalation | Long Term, local effects    |        |
|                                             |                 |                     | 10 mg/kg | Human Oral       | Long Term, local effects    |        |

**8.2. Exposure controls**

Individual protection measures:

Personal protective equipment selections vary based on potential exposure conditions and working conditions. The final choice of protective equipment will depend upon a risk assessment. Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers. Please see both sections 5 and 6 for information about personal protective equipment to be worn in an emergency (e.g.: fire or unintentional release of the substance).

Eye protection:

Eye glasses with side protection.

Protection for skin:

Wear chemical resistant clothing.

Technical reference standard: UNI EN 13034

Wear chemical resistant safety shoes.

Technical reference standard: UNI EN 20345

Protection for hands:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Glove suitability and breakthrough time will differ depending on the specific use conditions.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Use protective gloves that provides comprehensive protection.

Suitable material:

NBR (nitrile rubber) (Recommended thickness of the material: 0.4 mm; Permeation time: > 480 min)

UNI EN 420/UNI EN 374

Respiratory protection:

Depending on the potential for exposure, select respiratory protective equipment suitable for the specific conditions of use and in compliance with current legislation.

Half-face mask with combined filter

Combined filter: E-P2 (yellow-white colour)

Filter mask FFP2/FFP3 for solid particles

Technical reference standard: UNI EN 149

Thermal Hazards:

N.A.

Environmental exposure controls:

N.A.

Hygienic and Technical measures

N.A.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State: Solid

Color: N.A.

Odour: Characteristic

pH: N.A.

Kinematic viscosity: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Flash point: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Vapour pressure: N.A.

Relative density: N.A.

Solubility in water: 100%

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Flammability: N.A.

Volatile Organic compounds - VOCs = N.A.

**Particle characteristics:**

Particle size: N.A. ( Data not available. )

### 9.2. Other information

Miscibility: N.A.

Conductivity: N.A.

Evaporation rate: N.A.

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

Toxic gases

---

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicological Information of the Preparation

|                                      |                                                                                    |
|--------------------------------------|------------------------------------------------------------------------------------|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | Not classified<br>Based on available data, the classification criteria are not met |
| c) serious eye damage/irritation     | The product is classified: Eye Dam. 1(H318)                                        |
| d) respiratory or skin sensitisation | Not classified<br>Based on available data, the classification criteria are not met |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | Not classified<br>Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure            | Not classified<br>Based on available data, the classification criteria are not met |
| j) aspiration hazard                 | Not classified<br>Based on available data, the classification criteria are not met |

#### Toxicological information on main components of the mixture:

Potassium Metabisulphite a) acute toxicity LD50 Oral Rat = 2300 mg/kg

### 11.2. Information on other hazards

#### Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

---

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

No data available for the product

#### List of Eco-Toxicological properties of the components

| Component                | Ident. Numb.                        | Ecotox Data                                          |
|--------------------------|-------------------------------------|------------------------------------------------------|
| Potassium Metabisulphite | CAS: 16731-55-8 - EINECS: 240-795-3 | a) Aquatic acute toxicity : LC50 Fish = 460 mg/l 96h |

## 12.2. Persistence and degradability

N.A.

## 12.3. Bioaccumulative potential

N.A.

## 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

## 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

## 12.7. Other adverse effects

N.A.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

## SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

### 14.1. UN number or ID number

N.A.

### 14.2. UN proper shipping name

N.A.

### 14.3. Transport hazard class(es)

N.A.

### 14.4. Packing group

N.A.

### 14.5. Environmental hazards

N.A.

### 14.6. Special precautions for user

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

### 14.7. Maritime transport in bulk according to IMO instruments

N.A.

---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EU) n. 2020/878

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)  
Regulation (EU) n. 2018/669 (ATP 11 CLP)  
Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
Regulation (EU) n. 2019/521 (ATP 12 CLP)  
Regulation (EU) n. 2020/217 (ATP 14 CLP)  
Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
Regulation (EU) n. 2021/643 (ATP 16 CLP)  
Regulation (EU) n. 2021/849 (ATP 17 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: None.

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

Regulation (EU) No 649/2012 (PIC regulation)

No substances listed

Where applicable, refer to the following regulatory provisions :

3: Severe hazard to waters

SVHC Substances:

No data available

## 15.2. Chemical safety assessment

Chemical safety assessment not required.

No Chemical Safety Assessment has been carried out for the mixture.

---

## SECTION 16: Other information

| Code   | Description                             |                                |
|--------|-----------------------------------------|--------------------------------|
| EUH031 | Contact with acids liberates toxic gas. |                                |
| H318   | Causes serious eye damage.              |                                |
| Code   | Hazard class and hazard category        | Description                    |
| 3.3/1  | Eye Dam. 1                              | Serious eye damage, Category 1 |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|-----------------------------------------------------------|--------------------------|
| 3.3/1                                                     | Calculation method       |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community  
CLP: Classification, Labeling, Packaging.  
CMR: Carcinogenic, Mutagenic and Reprotoxic  
COD: Chemical Oxygen Demand  
COV: Volatile Organic Compound  
CSA: Chemical Safety Assessment  
CSR: Chemical Safety Report  
DMEL: Derived Minimal Effect Level  
DNEL: Derived No Effect Level.  
DPD: Dangerous Preparations Directive  
DSD: Dangerous Substances Directive  
EC50: Half Maximal Effective Concentration  
ECHA: European Chemicals Agency  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
ES: Exposure Scenario  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
IARC: International Agency for Research on Cancer  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
IC50: half maximal inhibitory concentration  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
IRCCS: Scientific Institute for Research, Hospitalization and Health Care  
KAFH: KAFH  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
LDLo: Leathal Dose Low  
N.A.: Not Applicable  
N/D: Not defined/ Not available  
NIOSH: National Institute for Occupational Safety and Health  
NOAEL: No Observed Adverse Effect Level  
OSHA: Occupational Safety and Health Administration.  
PBT: Persistent, Bioaccumulative and Toxic  
PGK: Packaging Instruction  
PNEC: Predicted No Effect Concentration.  
PSG: Passengers  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.  
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
vPvB: Very Persistent, Very Bioaccumulative.  
WGK: German Water Hazard Class.

**Paragraphs modified from the previous revision:**

- SECTION 1: Identification of the substance/mixture and of the company/undertaking
- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 4: First aid measures
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 10: Stability and reactivity
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 13: Disposal considerations
- SECTION 14: Transport information



