

ENARTIS NEWS

TIME FOR ROSÉ

Rosé wines are defined by their pink colour, simplicity, elegance and freshness. Whatever your style, some steps in rosé wine production are critical and require the adoption of specific technical measures.

PRE-FERMENTATION PHASE

Protection against Oxidation

- Enzymatic oxidation of juice happens quickly and causes browning, production of vegetal notes and loss of varietal aromas. Every effort to minimize oxidation will be rewarded with a better-quality wine.
- Work at cold temperatures during all pre-fermentation steps to slow oxidative reactions.
- Reduce oxygen contact by working fast, under inert gas or using antioxidant agents.

Harvest and Transport

- Start planning for making rosé wines in the vineyard and base picking decisions on the balance between acidity and sugar. Healthy fruit and early acid adjustment are highly recommended.
- Harvest overnight or early in the morning for cool grapes. Avoid long transport times and maceration in transport bins.
- In case of juice formation during harvesting and transport, spread **AST** on the bottom of the bin for antimicrobial and antioxidant protection of the juice.

Destemming, Pressing and Maceration

- Destem to avoid extracting herbaceous aromas and green tannins.
- Based on the rosé style that you like, press grapes directly or do preferred maceration, knowing that duration and temperature of maceration impact wine quality as follows:
 - Cold: lighter colour, bigger expression of fermentation aromas, higher acidity, lower pH.
 - Warm: more intense colour, bigger extraction of varietal aromas, lower acidity, higher pH.
 - Long: more intense colour, more roundness, more sugars, lower acidity, higher pH.
- In the press, a maceration enzyme such as **EnartisZym Arom MP** improves colour and protein stability, polysaccharide and aroma extraction, and increases free run yield.

Settling

- Aim for juice turbidity between 80 and 200 NTU for optimal yeast performance during fermentation. This will favor the production of a high quality rosé wine. Higher turbidity increases herbaceous aromas and reduces olfactory cleanliness and softness.
- Use **EnartisZym RS**, a rapid pectolytic enzyme, to speed up the settling process.
- If necessary, do fining and colour corrective treatments:
 - **Protomix AF** or **Claril SP** removes oxidation precursors, oxidized molecules and off-aromas.
 - **Combistab AF** to remove oxidation precursors, once wine is protein stable.
 - **EnartisPro FT** removes heavy metals that catalyse oxidation reactions and improves wine antioxidant protection and ageing potential.

FERMENTATION PHASE

The synthesis and release of aromas happens during fermentation. Wine style depends on grape aromatic compounds, yeast, yeast nutrition and fermentation temperature.

VARIETIES	AROMATIC PROFILE							COLOUR	
	RED FRUIT	YELLOW FRUIT	CITRUS	FLORAL	SPICES	HERBACEOUS	BALANCE	INTENSITY	HINT
SYRAH	●●●		●	●	●●		●●	DARK	FUSHIA
MERLOT	●				●●	●●●	●	MEDIUM	PINK
GRENACHE	●	●	●●	●●	●		●●●	LIGHT	ORANGE
CINSAULT	●	●					●●●	LIGHT	PINK
PINOT NOIR	●●		●	●●	●		●●	LIGHT	PINK
CAB SAUV	●●				●	●●●	●	MEDIUM	PINK
MOURVEDRE	●		●●●	●	●●●		●●	DARK	PURPLE
SANGIOVESE	●	●●		●●	●●	●●	●●	MEDIUM	PINK
ZINFANDEL	●●●	●			●●●	●	●●	MEDIUM	PURPLE
PINOTAGE	●●●	●			●●●	●	●●	MEDIUM	PURPLE

YEAST

- **EnartisFerm Red Fruit** increases varietal aromas expression and promotes the production of red fruit, red berries, forest fruits and helps colour stability.
- **EnartisFerm Vintage White** reveals the varietal aroma and produces a creamy palate.
- **EnartisFerm Perlage** for a perfectly clean and elegant varietal aroma, with a soft and rich palate.
- **EnartisFerm ES U42** produces intense aroma of rose and very full, round and soft palate.
- **EnartisFerm ES181** reveals thiols, increases aroma complexity, and produces fresh and pleasant wines.

YEAST NUTRITION

- **Nutriferm Arom Plus:** autolyzed yeast-based nutrient, provides the branched chain amino acids that yeast can use to produce esters and other aromatically active compounds.
- **Nutriferm Advance:** at 1/3 alcoholic fermentation, improves yeast activity, detoxifies wine and reduces production of H₂S.

FERMENTATION TEMPERATURE

- **Cold (12-14°C):** longer fermentation, lower total acidity.
- **Warm (18-20°C):** increase thiol and varietal aroma expression.

TANNINS, OAK ALTERNATIVES, AND YEAST POLYSACCHARIDES

- **EnartisTan RF:** blend of condensed tannins extracted from exotic wood species, helps colour stability and the expression of red fruit notes.
- **EnartisTan Skin:** tannin extracted from the skin of unfermented white grapes, it enhances thiol expression.
- **Incanto NC White:** blend of oak, acacia tannins and yeast derivatives that increases the flavour of fresh fruit and enhances softness and volume.
- **EnartisPro Blanco:** inactivated yeast rich in free mannoproteins and sulfur amino acids that produces rosés with young, intense and fresh color and helps thiol expression.
- **EnartisPro FT:** like Pro Blanco, increases thiol expression while the PVI-PVP of the blend significantly improves wine resistance to oxidation.

	FRUIT DRIVEN ROSÉ		"RESERVE" RICH ROSÉ		FLORAL ROSÉ		PROVENÇAL THIOLIC ROSÉ	
GRAPE VARIETIES	Syrah, Zinfandel, Malbec, Petite Syrah, Tempranillo, Sangiovese, Cabernet Sauvignon, Merlot		Grenache, Syrah, Cinsault, Cabernet Sauvignon, Merlot, Tempranillo		Pinot noir, Nebbiolo, Grenache, Cinsault, Carignan, Merlot, Mourvèdre		Grenache, Mourvèdre, Syrah, Sangiovese, Cabernet Sauvignon, Merlot	
CRUSHER	AST	150 g/ton	AST	150 g/ton	AST	150 g/ton	AST	150 g/ton
	ENARTISZYM AROM MP	20 g/ton	ENARTISZYM AROM MP	20 g/ton	ENARTISZYM AROM MP	20 g/ton	ENARTISZYM AROM MP	20 g/ton
MACERATION	Medium - Saignée		Medium		Short		Short	
SETTLING	ENARTISZYM RS	1 g/hL	ENARTISZYM RS	1 g/hL	ENARTISZYM RS	1 g/hL	ENARTISZYM RS	1 g/hL
	CLARIL AF	50 g/hL	CLARIL AF	50 g/hL	CLARIL AF	50 g/hL	CLARIL AF	50 g/hL
	ENARTISPRO FT	20 g/hL			ENARTISPRO FT	20 g/hL	ENARTISPRO FT	20 g/hL
INOCULATION	ENARTISFERM RED FRUIT	20 g/hL	ENARTISFERM PERLAGE OR VINTAGE WHITE	20 g/hL	ENARTISFERM FERM ES U42	20 g/hL	ENARTISFERM ES181	20 g/hL
	NUTRIFERM AROM PLUS	30 g/hL	NUTRIFERM AROM PLUS	20 g/hL	NUTRIFERM AROM PLUS	30 g/hL	NUTRIFERM AROM PLUS	20 g/hL
	ENARTISTAN RF	5 g/hL	INCANTO NC WHITE	20 g/hL	INCANTO NC WHITE	15 g/hL	ENARTISPRO BLANCO	15 g/hL
						ENARTISTAN SKIN	5 g/hL	
FERMENTATION TEMPERATURE	16-18°C (61-64°F)		16-17°C (61-63°F)		12°-14°C (54-57°F)		14-16°C (57-61°F)	
1/3 FERMENTATION	NUTRIFERM ADVANCE	20 g/hL	NUTRIFERM ADVANCE	20 g/hL	NUTRIFERM ADVANCE	20 g/hL	NUTRIFERM ADVANCE	20 g/hL
	ENARTISPRO R	20 g/hL	ENARTISPRO UNO	20 g/hL				
RACKING POST-FERMENTATION	ENARTISTAN FT	3 g/hL	ENARTISTAN FT	3 g/hL				



POST-FERMENTATION: PRESERVATION OF WINE QUALITY

Maturation, Stabilization and Bottling

Oxygen is the primary enemy of rosé wines. At racking and during cellar operations, protect wine with inert gas, maintain a high content of dissolved CO₂ and a temperature of around 13-14°C. The addition of **EnartisStab SLI** helps to maintain a low redox potential and consequently preserves greater aromatic and colour freshness. Also a tannin like **EnartisTan FT** helps to maintain an attractive fresh and fruity profile while protecting colour and aroma from oxidation.

At settling, clarification and filtration, the addition of **EnartisTan SLI**, helps consume dissolved oxygen while respecting wine organoleptic features and increases freshness. At bottling, **Citrostab rH** performs the same function. For tartaric stabilization of wine, the use of **Zenith Uno** as an alternative to cold stabilization minimizes the risk of oxidation.

[Stay in touch with our newsletter](#)

SUBSCRIBE

www.enartis.com/en/newsletter/

